

Evaluation of The Trial Dentures

(Try-in Stage)


Prepared By

Dr. Mohamed Ashour Ahmed

Lecturer of Removable Prosthodontic Department

Faculty of Dental Medicine

Al-Azhar University



The try-in is very important stage in denture construction

- All alterations and adjustments should be done at this stage.
- Because it is difficult and sometimes impossible to do alterations in the finished dentures.

Important steps to be followed during the try-in stage


I. Outside the mouth Check the case on the articulator



Checking on the articulator before doing try-in in the mouth: Check the case on articulator:

- 1. The mounting rings.
- 2. The incisal pin of the articulator is in its proper place. The occlusal vertical dimension is correct on articulator.
- 3. If the case is mounted on an adjustable articulator, the sagittal and lateral condylar guides should be coincide with that recorded from the patient records.
- 4. When the articulator is in centric position, the articulator's joint are firm and not loose.
- 5. The trial denture bases lie properly on their casts.
- 6. The articulator should move smoothly from centric to eccentric positions without interlocking of teeth.

Check the casts



Check the trial denture bases on casts




Check the teeth arrangement




After checking on the articulator remove the trial denture bases from their casts and start to trying-in them in the patient's mouth

Check the upper denture alone

- 1. Extension and retention.
- 2. Stability to occlusal stresses.
- 3. Appearance of the occlusal plane.
- 4. Position of the teeth and the support of the facial musculature



Test for the seal at the tuberosity area by applying upward and outward pressure at the opposite canine region




Lip Support





Facial proportions




Alignment of the anterior teeth and the support of the musculature





Check the Stability to occlusal stresses






Check the lower denture alone

- 1. Extension and retention
- 2. Stability to occlusal stresses
- 3. Neutral zone and tongue space
- 4. Height of the occlusal plane in relation to function

Extension of denture base








11/28/2012 12:56 PM

Height of the occlusal plane







Occlusal plane in relation to function

Stability to occlusal stresses

Apply pressure with the ball of the finger in the premolar and the molar regions of each side alternatively; this pressure must be directed at right angles to the occlusal surface.



If pressure in one side causes the denture to tilt and rise from the ridge on the other side, it indicate that the teeth are outside the ridge.



Neutral zone & Tongue space





Teeth and the waxed-up trial denture base should located within the neutral zone area to avoide cramping of the tongue.

Check both dentures together

- 1. Vertical dimension of centric occluding relation
- 2. Centric relation
- 3. Equilibration of occlusal pressure
- 4. Appearance of the face and teeth
- 5. Free articulation and balanced occlusion
- 6. Phonetic tests

Vertical dimension






The patient should be able to speak without clicking of the teeth.




Centric occlusion





Equalization of occlusal pressure



Appearance of the teeth & face







Phonetic test

Bade denture produce speech defects due to one of these causes:

- Improper arrangement of the teeth.
- Faulty extension or fit of denture.
- Too great vertical dimension.
- Lack of tongue space.

Patient's approval



Occlusal Errors

